


PLAN



PROFILE

DUAL-DIRECTIONAL CLEANOUT

NOTES:

1. FOR STRUCTURES WITH MORE THAN ONE SANITARY SEWER SERVICE LINE, COMBINED SANITARY SERVICES ARE NOT PERMITTED WITHOUT WRITTEN APPROVAL FROM AMERICAN WATER. EACH SANITARY LATERAL SHALL BE EXTENDED TO THE SEWER MAIN.
2. CLEANOUT SIZE SHALL MATCH SANITARY LATERAL SIZE.
3. POINT OF DEMARCATION FOR SERVICE LINE OWNERSHIP SHALL BE PER PRIME CONTRACT BETWEEN AW AND THE GOVERNMENT.
4. INSTALLATION, BEDDING, AND BACKFILL SHALL BE IN ACCORDANCE WITH AW STANDARD SPECIFICATIONS.

REVISIONS

MOWAC WASTE WATER STANDARDS
DUAL-DIRECTIONAL CLEANOUT
DETAIL

MISSOURI AMERICAN WATER
ST. LOUIS, MO. 63141

MISSOURI AMERICAN WATER ENGINEERING
727 CRAIG ROAD
ST. LOUIS, MO. 63141

DRAWN BY
PROJECT ENG'R
APPROVED

DATE ##-##-2015
PROJECT IP

USE DIMENSIONS ONLY
SCALE N.T.S.



USE APPROVED DRAWINGS ONLY
FOR CONSTRUCTION PURPOSES

MOAWC-WW-08